



# HP Color LaserJet Enterprise M555 Printer series

HP's mid-level Enterprise-class color printer with speeds up to 40 ppm<sup>8</sup> and strongest security.<sup>2</sup>

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future.  
<http://www.hp.com/go/learnaboutsupplies>



HP Color LaserJet Enterprise M555dn



HP Color LaserJet Enterprise M555x

## The world's most secure printing<sup>2</sup>

- The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.
- Common Criteria certified<sup>3</sup> to continually monitor memory activity to detect and stop attacks in real time.
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.

## Easy to use, simple to manage

- HP FutureSmart firmware can be updated with the latest features<sup>1</sup> to optimize your investment for years to come.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.<sup>5</sup>
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons.
- Expect consistent, high-quality results with technology that automatically adjusts print settings to paper type.

## Enhanced productivity to empower workgroups

- Give workgroups what they need to succeed. Easily choose and deploy hundreds of HP and third-party solutions.
- Keep your office connected. Built-in Ethernet and Dual-band Wi-Fi<sup>®7</sup> connectivity let you share printing resources on a network.
- Easily manage jobs directly at the printer with a customizable 4.3-inch (10.9 cm) color touchscreen.
- Spend less time loading paper with up to three input trays for an additional capacity of 2,300 sheets.

## Sustainability is smart business

- Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.<sup>9</sup>
- Help reduce wasted paper and toner by only printing jobs that are truly needed, using HP Roam for Business.<sup>10</sup>
- Help save energy intelligently by using only the power you need with HP Auto-On/Auto-Off Technology.<sup>11</sup>
- Help reduce your impact. Count on easy cartridge recycling at no charge with HP Planet Partners.<sup>12</sup>

<sup>1</sup> Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.  
<sup>2</sup> HP's most advanced embedded security features are available on HP Enterprise and HP Managed devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit [hp.com/go/PrintersThatProtect](http://hp.com/go/PrintersThatProtect). For more information, visit [hp.com/go/PrinterSecurityClaims](http://hp.com/go/PrinterSecurityClaims)  
<sup>3</sup> Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Enterprise and Managed devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: <https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf>  
<sup>4</sup> Use of the HP Trusted Platform Module may require a firmware upgrade.  
<sup>5</sup> HP Web Jetadmin is free and available for download at [hp.com/go/webjetadmin](http://hp.com/go/webjetadmin)  
<sup>6</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.  
<sup>7</sup> Mobile device needs to be connected directly to the signal of a Wi-Fi Direct<sup>®</sup> supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance<sup>®</sup>. For details, see [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting)  
<sup>8</sup> Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.  
<sup>9</sup> Dependent upon country setup specifications.  
<sup>10</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth<sup>®</sup> Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit [hp.com/go/roam](http://hp.com/go/roam)  
<sup>11</sup> HP Auto-On/Auto-Off Technology capabilities subject to printer and settings. May require a firmware upgrade.  
<sup>12</sup> Program availability varies. For more information, visit [hp.com/recycle](http://hp.com/recycle)  
<sup>13</sup> An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

## Product walkaround

1. 250-sheet output bin
2. Front door for access to Original HP Toner cartridges with JetIntelligence
3. Automatic two-sided printing (default)<sup>1</sup>
4. Slot for cable-type security lock
5. Gigabit Ethernet network port
6. Hi-Speed USB 2.0 printing port
7. Hi-Speed USB 2.0 port for third-party devices
8. 4.3-inch (10.9 cm) color graphics display with touchscreen
9. Hardware Integration Pocket (for connecting accessory and third-party devices)<sup>2</sup>
10. Easy-access USB port<sup>3</sup>
11. Convenient front on/off switch
12. Right door for clearing jams and access to the fuser
13. 100-sheet multipurpose tray 1
14. Lower right door for clearing jams
15. Two 550-sheet input trays for a 1,200-sheet total input capacity



## Series at a glance



Model	HP Color LaserJet Enterprise M555dn	HP Color LaserJet Enterprise M555x
Product number	7ZU78A	7ZU79A
Print speed (Letter) <sup>4</sup>	Up to 40 ppm	
Automatic two-sided printing (default) <sup>1</sup>	√	
100-sheet multipurpose tray 1, and 550-sheet input tray 2	√	
550-sheet input tray 3	Optional (up to 3)	√ (plus up to 2)
Input capacity (standard/maximum)	Up to 650/2,300 sheets	Up to 1,200/2,300 sheets
Printer stand	Optional	
Control panel	4.3" color touchscreen	
Memory (standard/maximum)	1 GB / 2 GB	
HP High-Performance Secure Hard Disk	Optional	
Hardware Integration Pocket (HIP) <sup>2</sup>	√	
Dual-band Wi-Fi with Bluetooth® Low Energy, Wi-Fi Direct® <sup>5</sup>	Optional	√
ENERGY STAR® qualified	√	

<sup>1</sup> Dependent upon country setup specifications.

<sup>2</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.

<sup>3</sup> An administrator must enable the easy-access USB port before use.

<sup>4</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>5</sup> Mobile device needs to be connected directly to the signal of a Wi-Fi Direct supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance. For details, see [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting).

## HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: [hp.com/go/cpc](http://hp.com/go/cpc)

## Top features

HP printers have the industry's strongest security<sup>2</sup> because they're always on guard, continually stopping threats while adapting to new ones. And only HP printers can automatically self-heal from attacks, so IT doesn't need to intervene.

Set up workgroups for success without adding more to your plate. Help teams thrive while allowing IT the control it needs to quickly handle business fleet-wide, using a streamlined printer built for straightforward use and management.

Ease collaboration and productivity without interruption, using a printer that supports how people work today: fast, nimble, and connected. Quickly print the premium color documents your business needs to look professional, day in and day out.

Business is all about resource management, and finding efficiencies is everyone's responsibility. HP printers are designed with the environment in mind, so workgroups can complete tasks quickly while helping to conserve energy wherever possible.

### Accessories

2MU47A	HP Accessibility Assistant
2NR03A	HP 1 GB 90-pin DDR3 DIMM
2NR12A	HP Removable Hard Drive Enclosure
3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
4QL32A	HP Legic Secure USB Reader
5EL03A	HP TAA Version Secure Hard Disk Drive
8FP31A	HP Jetdirect LAN Accessory
B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
B5L34A	HP Color LaserJet 550-sheet Media Tray
B5L51A	HP Color LaserJet Printer Cabinet
CC543B	HP SmartCard NIPRNet Solution for US Government
G6W84A	HP 1 GB 90-pin DDR3 DIMM
X3D03A	HP Universal USB Proximity Card Reader
Y7C05A	HP HIP2 Keystroke Reader

### Supplies

B5L35A	HP Color LaserJet B5L35A 110V Fuser Kit (Approximately 150,000 pages)
B5L36A	HP Color LaserJet B5L36A 220V Fuser Kit (Approximately 150,000 pages)
B5L37A	HP Color LaserJet B5L37A Toner Collection Unit (Approximately 54,000 pages)
W2120A	HP 212A Black Original LaserJet Toner Cartridge (5,500 pages)
W2120X	HP 212X High Yield Black Original LaserJet Toner Cartridge (~13,000 pages)
W2121A	HP 212A Cyan Original LaserJet Toner Cartridge (Per cartridge: 4,500 pages)
W2121X	HP 212X High Yield Cyan Original LaserJet Toner Cartridge (Per cartridge: 10,000 pages)
W2122A	HP 212A Yellow Original LaserJet Toner Cartridge (Per cartridge: 4,500 pages)
W2122X	HP 212X High Yield Yellow Original LaserJet Toner Cartridge (Per cartridge: 10,000 pages)
W2123A	HP 212A Magenta Original LaserJet Toner Cartridge (Per cartridge: 4,500 pages)
W2123X	HP 212X High Yield Magenta Original LaserJet Toner Cartridge (Per cartridge: 10,000 pages)

### Solutions

**Overview:** The HP Solutions portfolio provides a broad array of solutions designed to work with many HP printers and MFPs. They can help improve productivity, safeguard your data, and drive down costs. Helping employees and your IT team work more efficiently

**Security:** HP JetAdvantage Security Manager fleet security compliance and management; HP Access Control; HP JetAdvantage Secure Print; Card readers; Secure Encrypted Print (UPD)

**Mobile and universal print:** HP Universal Print Driver (UPD); HP Roam for Business; HP ePrint; HP PrinterOn Enterprise

**Management:** HP Web JetAdmin; HP JetAdvantage Security Manager; HP JetAdvantage Insights

### Services

U8CG8E-HP 5y 4h 9x5 CLJ M55x SVC
U8CG9E-HP 5y 4h 13x5 CLJ M55x SVC
U8CH1E-HP 5y NBD CLJ M55x SVC
U8CH4E-HP 5y NBD CTR CLJ M55x SVC
U8CH7E-HP 5y 2nd Day CTR CLJ M55x SVC
U8CJ0E-HP 5y ChnlPartsOnly CLJM55x SVC
U8CU3E-HP 5yNBDw/Max 5 Maintenance kit CLJ M55x SVC
U8CJ1PE-HP 1y PW ChnlPartsOnly CLJ M55x SVC
U8CJ2PE-HP 1y PW NBD CTR CLJ M55x SVC
U8CJ3PE-HP 1y PW 2nd Day CTR CLJ M55x SVC
U8CJ4PE-HP 1y PW NBD CLJ M55x SVC
U8CJ5PE-HP 1y PW 4h 9x5 CLJ M55x SVC
U8CJ6PE-HP 1y PW 4h 13x5 CLJ M55x SVC
U8CJ7PE-HP 2y PW NBD CLJ M55x SVC
U9JT1E-HP Inst SVC w/nw Personal Scanner & Print
UL623E-HP MKRCM3530/M575MFP/CP3525/M55x 110VSVC
UL622E-HP MKRCM3530/M575MFP/CP3525/M55x 220VSVC



<sup>1</sup> Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.  
<sup>2</sup> HP's most advanced embedded security features are available on HP Enterprise and HP Managed devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit [hp.com/PrintersThatProtect](http://hp.com/PrintersThatProtect). For more information, visit [hp.com/PrinterSecurityClaims](http://hp.com/PrinterSecurityClaims)  
<sup>3</sup> Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Enterprise and Managed devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: <https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf>  
<sup>4</sup> Use of the HP Trusted Platform Module may require a firmware upgrade.  
<sup>5</sup> HP Web JetAdmin is free and available for download at [hp.com/webjetadmin](http://hp.com/webjetadmin)  
<sup>6</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.  
<sup>7</sup> Mobile device needs to be connected directly to the signal of a Wi-Fi Direct® supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance®. For details, see [hp.com/mobileprinting](http://hp.com/mobileprinting)  
<sup>8</sup> Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.  
<sup>9</sup> Dependent upon country setup specifications.  
<sup>10</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit [hp.com/go/roam](http://hp.com/go/roam)  
<sup>11</sup> HP Auto-On/Auto-Off Technology capabilities subject to printer and settings. May require a firmware upgrade.  
<sup>12</sup> Program availability varies. For more information, visit [hp.com/recycle](http://hp.com/recycle)  
<sup>13</sup> An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

## HP Color LaserJet Enterprise M555 Printer series

Model	HP Color LaserJet Enterprise M555dn	HP Color LaserJet Enterprise M555x
Product number	7ZU78A	7ZU79A
AIO functions	Print	
Print		
Print speed <sup>6, 7</sup>	<b>First page out Letter:</b> As fast as 6.6 sec Black; As fast as 7.5 sec Color; <b>First page out A4:</b> As fast as 6.7 sec Black; As fast as 7.6 sec Color; <b>Letter:</b> Up to 40 ppm Black; Up to 40 ppm Color; <b>A4:</b> Up to 38 ppm Black; Up to 38 ppm Color; <b>Print speed (Landscape, A5):</b> Up to 59 ppm Black; Up to 59 ppm Color	
Print resolution	<b>Black (best):</b> HP ImageREt 3600; <b>Black (normal):</b> Up to 600 x 600 dpi; <b>Black (fine lines):</b> Up to 1200 x 1200 dpi <b>Color (best):</b> HP ImageREt 3600; <b>Color (normal):</b> Up to 600 x 600 dpi; <b>Color (fine lines):</b> Up to 1200 x 1200 dpi	
Print technology	Laser; <b>Print resolution technology:</b> HP ImageREt 3600, Pantone Calibrated	
Print cartridges number	4 (1 each black, cyan, magenta, yellow)	
Standard print languages	HP PCL 6; HP PCL 5c; HP Postscript level 3 emulation, native PDF printing (v 1.7)	
Printer smart software features	Apple AirPrint™, Mopria-certified, HP ePrint, ROAM optional for easy printing, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 4.3" touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs	Apple AirPrint™, Mopria-certified, HP ePrint, ROAM capable for easy printing, Wi-Fi Direct Printing, Bluetooth® Low-Energy, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 4.3" touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs
Printer management / HP SureSupply	HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Configuration Utility - Driver Deployment Utility - Managed Printing Administrator/	
Connectivity		
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket	
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11 a/b/g/n wireless networking (optional).	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11 b/g/n / 2.4 / 5 GHz Wi-Fi radio wireless networking (standard)
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Dual-band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A	Embedded Dual-band Station and Wi-Fi Direct Functionality
Mobile printing capability <sup>4</sup>	HP ePrint; Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified; ROAM optional for easy printing	HP ePrint; Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified; ROAM capable for easy printing; Wi-Fi® Direct printing
Memory	<b>Standard:</b> 1 GB; <b>Maximum:</b> 2 GB	
Processor speed	1.2 GHz / <b>Storage:</b> 4 GB non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data; Secure Erase – Disk / <b>Hard disk:</b> Optional, 500 GB (with accessory B5L29A)	
Duty cycle (monthly)	<b>Letter:</b> Up to 80,000 pages; <b>A4:</b> Up to 80,000 pages; <b>Recommended monthly page volume:</b> 2000 to 10,000	
Paper handling		
Input	100-sheet multipurpose tray, 550-sheet input tray 2	
Output	<b>Standard:</b> 250-sheet output bin; Up to 250 sheets <b>Standard; Transparencies:</b> Up to 100 sheets	
Duplex Options	Automatic (standard)	
Envelope feeder	No	
Standard paper trays	2	
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy) color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined	
Media weight	Tray 1: 16 to 58 lb (plain); 28 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain paper); 28 to 58 lb (glossy paper); Optional Trays 3+: 16 to 58 lb (plain paper); 28 to 58 lb (glossy paper); Automatic Duplexer: 16 to 43 lb	
Media sizes	Tray 1: Letter, Legal, Oficio, Executive, Statement, 4 x 6, 3 x 5, 5 x 7, 5 x 8, Postcard (JIS), Double Postcard (JIS), 8.5 x 13, Envelope (commercial No. 9, No. 10, Monarch); Custom: 3 x 5 to 8.5 x 14 in; Tray 2: Letter, Executive, Statement, 4 x 6, 5 x 7, 5 x 8, Double Postcard (JIS); Custom: 4.0 x 5.85 to 8.5 x 11.69 in; Tray 3: Letter, Legal, Oficio, Executive, 8.5 x 13; Custom: 4.0 x 5.85 to 8.5 x 14 in	
Media Sizes Custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.0 x 5.85 to 8.5 x 11.69 in; Optional Trays 3+: 4.0 x 5.85 to 8.5 x 14 in	
Dimensions (w x d x h)	18 x 18.9 x 15 in; 458 x 479 x 380 mm; <b>Maximum:</b> 32.3 x 30.9 x 17.9 in; 820 x 785 x 455 mm	
Weight	60.6 lb; 27.5 kg	73.6 lb; 33.4 kg
What's in the box <sup>2</sup>	Printer; Four preinstalled HP LaserJet toner cartridges (yield ~5,500 pages black, ~3,500 pages cyan, magenta, yellow composite); Toner collection unit; In-box documentation; Power Cord	
Replacement cartridges <sup>2</sup>	W2120A HP 212A Black Original LaserJet Toner Cartridge (~5,500 pages); W2121A HP 212A Cyan Original LaserJet Toner Cartridge (~4,500 pages); W2123A HP 212A Magenta Original LaserJet Toner Cartridge (~4,500 pages); W2122A HP 212A Yellow Original LaserJet Toner Cartridge (~4,500 pages); W2120X HP 212X High Yield Black Original LaserJet Toner Cartridge (~13,000 pages); W2121X HP 212X High Yield Cyan Original LaserJet Toner Cartridge (~10,000 pages); W2123X HP 212X High Yield Magenta Original LaserJet Toner Cartridge (~10,000 pages); W2122X HP 212X High Yield Yellow Original LaserJet Toner Cartridge (~10,000 pages)	
Warranty features	One-year, next-business day, onsite warranty; Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> to learn about HP award winning service and support options in your region.	
Energy star certified	Yes	
Energy efficiency compliance <sup>1</sup>	Blue Angel; CECP; ENERGY STAR® qualified; EPEAT® Silver	
Control panel	4.3-in touchscreen with color graphics	
Display	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)	
Software included	No software solutions are included in the Box, only on <a href="http://hp.com">http://hp.com</a> , <a href="http://123.hp.com">http://123.hp.com</a>	
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a>	
Compatible operating systems	Windows (Client OS (32/64 bit)), Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android, Mac-, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Apple® macOS Catalina v10.15, Discrete PCL6 Printer Driver-, For more information on the supported operating systems go to <a href="http://support.hp.com">http://support.hp.com</a> , Enter your product name and search. Click on User Guides and enter your product name and search. For User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers-, For more information on the supported operating systems go to <a href="http://support.hp.com">http://support.hp.com</a> , Enter your product name and search. Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see <a href="http://www.hp.com/go/upd">www.hp.com/go/upd</a>	
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Citrix XenApp & XenDesktop 7.6, Novell Print server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see <a href="http://citrixready.citrix.com">http://citrixready.citrix.com</a> , Linux- For more information see <a href="http://developers.hp.com/linux-imaging-and-printing">http://developers.hp.com/linux-imaging-and-printing</a> , Unix- For more information see <a href="http://hp.com/go/linuxmodelscripts">http://hp.com/go/linuxmodelscripts</a> , UPD PCL6 / PS Printer Drivers-, For more information on the supported operating systems go to <a href="http://support.hp.com">http://support.hp.com</a> , Enter your product name and search. Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see <a href="http://www.hp.com/go/upd">www.hp.com/go/upd</a>	
Minimum system requirements	<b>PC:</b> 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see <a href="http://microsoft.com">microsoft.com</a> ; <b>Mac:</b> 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see <a href="http://microsoft.com">microsoft.com</a>	
Power <sup>3</sup>	<b>Power supply type:</b> Built-in 115V or 220V Power Supply; <b>Power supply required:</b> Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier); <b>Power consumption:</b> 622 watts (Printing), 31.3 watts (Ready), 2.4 watts (Sleep), 0.06 watts (Auto-Off/Manual On), 0.69 watts (Auto-Off/Auto-On/Wake on LAN); <b>Typical electricity consumption (TEC) number:</b> 1.368 kWh/Week (Blue Angel); 0.464 kWh/Week (Energy Star 3.0)	
Acoustics	<b>Acoustic power emissions:</b> 6.3 B(A) (Printing at 38 ppm)	
Operating environment	<b>Operating temperature range:</b> 50 to 91°F; <b>Recommended operating temperature:</b> 59 to 80.6°F; <b>Storage temperature range:</b> -4 to 104°F; <b>Operating humidity range:</b> 10 to 80% RH; <b>Recommended operating humidity range:</b> 30 to 70% RH	
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTIPS); Encrypted (credentials); Device: Security lock slot; USB port disablement; Hardware Integration Pocket for security solutions; Intrusion Detection with Red Balloon Security Technology (Constant in-device monitoring for attacks); HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability); Whitelisting (loads only known good code DLLs, EXEs, etc.); Embedded Trusted Platform Module (TPM); HP Connection Inspector; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs	

<sup>1</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.<sup>2</sup> Average black and color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>. HP Color LaserJet Enterprise M554, M555, and MFP / Flow MFP M578 in-box color cartridges may have higher yield than stated for printer units manufactured before 2021.<sup>3</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).<sup>4</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) bonding capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB. Subscription may be required. For more information, visit <http://www.hp.com/go/roam><sup>5</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Blue Angel value typically based on measurement of 230V device.<sup>6</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.<sup>7</sup> Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document content.<sup>8</sup> Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.To learn more, visit [hp.com](http://hp.com)

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

